

Terminal Connector


Unit: mm

JXB	Type	Hard wire (mm ²)	Soft wire (mm ²)	Soft wire with tube terminal (mm ²)	Rated current (A)	Rated voltage (V)	Dimension
 	JXB-2.5/35	0.5-6	1.5-4	0.5-2.5	24	800	6×40×38.5
	JXB-4/35	0.5-6	1.5-4	0.5-4	32	800	6.5×42×52
	JXB-6/35	0.5-10	1.5-10	0.5-6	41	800	8×42×52
	JXB-10/35	1.5-16	1.5-16	0.5-10	57	800	10×42×52
	JXB-16/35	2.5-16	2.5-16	4-16	76	800	12×42×52
	JXB-35/35	6-35	10-35	10-35	125	800	18×50×63.5
	JXB-70/35	10-70	10-70	10-70	192	800	22×75×87

Unit: mm

EK	Type	Hard wire (mm ²)	Soft wire (mm ²)	Soft wire with tube terminal (mm ²)	Dimension
 	EK-2.5/35	0.5-14	1.5-2.5	0.5-2.5	6×57×37
	EK-4/35	0.5-6	1.5-4	0.5-4	8×57×41
	EK-6/35	0.5-10	1.5-6	0.5-6	12×57×48
	EK-10/35	0.5-16	1.5-10	0.5-10	10×57×48
	EK-16/35	2.5-16	2.5-16	4-16	12×57×48


Unit: mm

UK	Type	Hard wire (mm ²)	Soft wire (mm ²)	Rated current (A)	Rated voltage (V)	Dimension
 	UK-1.5N	0.14-1.5	0.14-1.5	17.5	660	4.2×42.5×40.5
	UK-2.5B	1.0-4	1.0-2.5	32	800	6.2×42.5×42
	UK-3N	0.2-6	0.2-4	32	800	5.2×42.5×47
	UK-5N	0.2-6	0.2-4	41	800	6.2×42.5×47
	UK-6N	0.5-10	0.5-6	57	800	8.2×42×47
	UK-10N	0.5-16	1.5-10	76	800	10.2×42.5×47
	UK-16N	2.5-25	4-16	101	800	12.2×42.5×54
	UK-35N	0.75-50	0.75-35	125	1000	15.2×50.5×61
	UKH-50	16-50	25-50	150	1000	20×70.5×83.5
	UKH-95	25-95	35-95	232	1000	25×83.2×97.5
	UKH-150	35-150	50-150	309	1000	32×100×118
	UKH-240	70-240	70-240	415	1000	36×100×131.5

Unit: mm

USLKG	Type	Hard wire (mm ²)	Soft wire (mm ²)	Rated current (A)	Rated voltage (V)	Dimension
 	USLKG1.5N	0.14-1.5	0.14-1.5	12	660	6.2×42.5×47
	USLKG2.5	0.2-4	0.2-2.5	32	800	6.2×42.5×47
	USLKG3	0.25-2.5	0.25-1.5	32	800	5.2×42.5×47
	USLKG5	0.25-4	0.25-2.5	41	800	6.2×42.5×47
	USLKG6N	0.25-6	0.25-6	57	800	8.2×42.5×47
	USLKG10N	0.5-16	0.5-10	76	800	10.2×42.5×47
	USLKG16N	2.5-25	4-16	101		12.2×42.5×54
	USLKG35	0.75-50	0.75-35	150		15.2×50.5×62
	USLKG50	16-50	25-50	150		20×70.5×81.5

Terminal Connector



1. Specifications

Unit: mm

Type	Current	No. of poles	Dimensions						
			L	L1	A	B	C	D	E
TB-1503	15A	3	46	36.5	7.5	9	M3	22	17
TB-1504		4	55	45.5	7.5	9	M3	22	17
TB-1506		6	73	63.5	7.5	9	M3	22	17
TB-1512		12	127	118	7.5	9	M3	22	17
TB-2503	25A	3	50	40	10.5	12	M4	30	20
TB-2504		4	62.5	57	10.5	12	M4	30	20
TB-2506		6	91	81.5	10.5	12	M4	30	20
TB-2512		12	163	153	10.5	12	M4	30	20
TB-3503	35A	3	50	40	10.5	12	M4	30	20
TB-3504		4	62.5	57	10.5	12	M4	30	20
TB-3506		6	91	81.5	10.5	12	M4	30	20
TB-3512		12	163	153	10.5	12	M4	30	20
TB-4503	45A	3	70	60.5	15	17	M5	38	23.5
TB-4504		4	86	75.5	15	17	M5	38	23.5
TB-4506		6	120.5	110	15	17	M5	38	23.5
TB-6003	60A	3	70.5	65.5	15.5	18	M6	38	31
TB-6004		4	93.5	82.5	15.5	18	M6	38	31
TB-6006		6	129	118	15.5	18	M6	38	31
TB-1003	100A	3	86.5	75.5	22	20	M6	43.5	35
TB-1004		4	108	96	22	20	M6	43.5	35
TB-1006		6	153	140	22	20	M6	43.5	35



1. Specifications

Unit: mm

Type	Current(A)	No. of poles	Dimensions								
			L	L1	A	B	C	D	E	F	G
TC-603	60	3	28.5	86.5	38	42.7	25.5	31	15	17	M6
TC-604		4	28.5	115	38	42.7	25.5	31	15	17	M6
TC-1003	100	3	34.5	113.5	46.5	55.2	28	36.3	17.3	22.5	M6
TC-1004		4	34.5	137.5	46.5	55.2	28	36.3	17.3	22.5	M6
TC-1503	150	3	38.5	115	57.2	67	30.5	40	19.8	25.3	M8
TC-1504		4	38.5	153	57.2	67	30.5	40	19.8	25.3	M8
TC-2003	200	3	44.5	133	63	72.1	34	44.4	23	28.3	M8
TC-2004		4	44.5	177	63	72.1	34	44.4	23	28.3	M8
TC-3003	300	3	55	164	78	89.4	47.5	50.6	27	30	M10
TC-3004		4	55	218	78	89.4	47.5	50.6	27	30	M10
TC-4003	400	3	55	164	78	89.4	47.5	50.6	27	36	M10
TC-4004		4	55	218	78	89.4	47.5	50.6	27	36	M10

Electrical Accessories

Unit: mm

H.W.F Terminal Connector	Rated current (A)	Cable size (mm ²)	Pole No. (P)	Rated voltage (V)	Packing (PCS)
	3	2.5	12	400	10
	6	6	12	400	
	10	10	12	400	
	15	12	12	400	
	20	14	12	400	
	30	16	12	400	
	60	25	12	400	
	80	30	12	400	
	100	35	12	400	
	150	40	12	400	


Unit: mm

Self Adhesive Tie Mounts(Cable Tie Base)	Type	Dimension	H	T	Screw hole	Packing (pcs)
	LFSP-20	20×20	6	4	2.6	1000/1000
	LFSP-25	25×25	8.6	7	3.6	100/500
	LFSP-30	30×30	8.6	7.8	4.5	
	LFSP-40	40×40	7.5	11.5	4.5	100/250

Unit: mm

Spiral Wrapping Band	Type	L×W	H	T	Wrapping range	Packing
	LFWB-06	4	6	7.0	4-50	100M-ROLL
	LFWB-08	6	8	10.8	6-60	
	LFWB-10	7.5	10	11.4	7.5-60	
	LFWB-12	9	12	13.9	9-65	
	LFWB-15	12	15	15.0	12-75	
	LFWB-19	15	19	18.2	15-100	
	LFWB-24	20	24	19.6	20-130	

Unit: mm

Expand Nail	Type	Length	Out diameter	Inner diameter	Packing (pcs)
	LFEN-06	28	6	4.3	100 & 1000
	LFEN-08	37	8	4.9	
	LFEN-10	45	10	7.5	100 & 500
	LFEN-12	48	12	6.5	

Unit: mm

Cable Marker	Type	Approx wire		Markers	Packing
		SQ	mm		
	EC-0	0.75~1.5	2.0~3.2	0~9 A~Z	1000PCS/ROLL
	EC-1	0.75~3.5	3.0~4.2		1000PCS/ROLL
	EC-2	3.5~8.0	3.6~7.4		500PCS/ROLL
	EC-3	5.2~10.0	5.2~10.0		250PCS/ROLL